



Attractive finish –
HOPPE handles in black matt

For all HOPPE door and window handles ...





Interior door sets

page 5



Handle sets on mini rose

page 11



Window handles and lift/slide
handle sets

page 15



Pull handles

page 29



General information

page 34

AI

Highly fashionable: aluminium architectural fittings in black matt

There is a good reason why black is such a popular colour for door and window handles – depending on how they are combined, they can create very different effects in living spaces: elegant and unobtrusive or high-contrast and vibrant.

Lovers of black will find a large selection of different door fittings and window handles at HOPPE, such as aluminium architectural fittings in black matt, which are available from us in the colour designation F9714M.

Many of HOPPE's most popular series such as Dallas, Tôkyô and Toulon are available in F9714M – in many cases both as a door handle set and as window handles, available with or without burglary-resistant technology.

The HOPPE architectural fittings in black matt are manufactured from aluminium, an ideal material for door and window handles. The natural corrosion protection that forms when the material is processed makes aluminium architectural fittings extraordinarily resistant to environmental influences and mechanical damages. Furthermore, aluminium handles have no adverse effects on health whatsoever and can be fully recycled without loss of quality. Aluminium architectural fittings do not require special care – any dirt can be removed quite simply using a damp cloth.

Like all HOPPE products, handles in the colour F9714M are made in Europe and are covered by a ten-year guarantee on mechanical operation. After all, HOPPE architectural fittings are brand products – which HOPPE considers a promise of quality.





Hamburg - 1700/42FI/42FIS

duraplus®




Quick-Fit

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			Keyhole	F9714M			P.U.	O.C.
				Art. no./€				
Door handle set	37-42	8		11782754			1	10
Bathroom/WC handle set with red-white-indicator	37-42	8 5 diag.		11783060			1	10



New York - 1810/42FI/42FIS

duraplus®




Quick-Fit

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			Keyhole	F9714M			P.U.	O.C.
				Art. no./€				
Door handle set	37-42	8		11962227			1	10
Bathroom/WC handle set with red-white-indicator	37-42	8 5 diag.		11962239			1	10





Quick-Fit


Stockholm - 1140/42FI/42FIS

duraplus®

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Base: nylon, supporting lugs
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			Keyhole	F9714M			P.U.	O.C.
				Art. no./€				
Door handle set (receiver - receiver components)	37-42	8		11746828 25.64			1	10
Bathroom/WC handle set with red-white-indicator	37-42	8 5 diag.		11891105 32.99			1	10



Quick-Fit


Tôkyô - 1710/42FI/42FIS

duraplus®

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Base: nylon, supporting lugs
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			Keyhole	F9714M			P.U.	O.C.
				Art. no./€				
Door handle set (receiver - receiver components)	37-42	8		11747055 19.53			1	10





Quick-Fit




■ Tôkyô - 1710/42K/42KS


duraplus®

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906: 37-0140A**, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws



Description			Keyhole	F9714M				P.U.	O.C.
				Art. no./€					
Door handle set (receiver - receiver components)	75-85	8		11747717 18.10				1	10



For DIN-standard-locks.







■ 42FIS

duraplus®

HOPPE aluminium escutcheon pair with emergency release/turn and red-white-indicator for bathroom/WC doors:

- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			Keyhole	F9714M				P.U.	O.C.
				Art. no./€					
Bathroom/WC escutcheon with red-white-indicator, offset by +1,5 mm, pair	37-40	5 diag.	 1,5	11776705 17.24				5	30









■ **42FIS**

duraplus®

HOPPE aluminium escutcheon with turn for entrance doors (interior side):

- Bearing: fixed/movable turn
- Connection: for 5 mm diagonal or 8 mm flat spindle
- Base: nylon
- Fixing: concealed, from inside, M5 thread screws that can be shortened

Description			Keyhole	F9714M				P.U.	O.C.
				Art. no./€					
Turn on rose, piece			5,5 	11805663 12.77				50	50







Handle sets on mini rose





Quick-Fit


Dallas - 1643/845

duraplus®

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description			F9714M				P.U.	O.C.
			Art. no./€					
Door handle set without escutcheon	35-45	8	10803974 47.29				1	10
	35-55	8	11621849 48.02				1	10



For DIN-standard-locks.





Quick-Fit


Stockholm - 1140/845

duraplus®

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description			F9714M				P.U.	O.C.
			Art. no./€					
Door handle set without escutcheon	35-45	8	11536305 28.39				1	10
	35-55	8	11650005 29.12				1	10



For DIN-standard-locks.










M845S


duraplus®

HOPPE brass mini-escutcheon pair with emergency release/turn for bathroom/WC doors:

- Connection: HOPPE solid spindle
- Fixing: with grub screw, additionally with silicone or adhesive



Description			Keyhole	F9714M				P.U.	O.C.
				Art. no./€					
Escutcheon, pair				11625028 15.44				5	25
Bathroom/WC escutcheon, pair	33-38	5-8		10803835 21.45				5	25
	38-43	5-8		11605224 21.45				5	25
	43-48	5-8		11621278 21.45				5	25
	48-53	5-8		11621285 21.45				5	25



For DIN-standard-locks.







M846S


duraplus®

HOPPE brass mini-escutcheon pair for interior doors:

- Fixing: plug-in, additionally with silicone or adhesive
- Special feature: non-screw fitting



Description			Keyhole	F9714M				P.U.	O.C.
				Art. no./€					
Escutcheon, pair				11550880 15.44				5	25
				10803827 15.44				5	25



For DIN-standard-locks.





Secustik®
VarioFit®

Dallas - 0643/US944

duraplus®




HOPPE aluminium turn/tilt window handle with **Secustik®** and **VarioFit®**:

- Tested to **DIN EN 13126-3: 23/180-0150/03/C1** and **RAL-GZ 607/9**
- Stop-in position: 90°
- Cover: full cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle, adjustable length of 10 mm, smooth adjustment thanks to the pressure spring integrated in the handle neck
- Fixing: concealed, M5 thread screws
- Special feature: built-in basic security



Description	Lugs Ø	7	Projecting	F9714M				P.U.	O.C.
			Screws	Art. no./€					
Window handle, piece	10		32-42 M5 x 45/50	11575840 21.24				10	40



Dallas - HS-0643/419N-AS


duraplus®



HOPPE aluminium lift/slide handle set for patio doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description	75-80	10x128	Keyhole/ Distance	F9714M				P.U.	O.C.
			69	Art. no./€					
Lift/slide handle set (handle/handle)				11722277 113.36				1	4



Dallas - HS-0643/419N-AS/420


duraplus®



HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:

- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F9714M				P.U.	O.C.
				Art. no./€					
Lift/slide handle set (recessed pull/handle)			69	11720755				1	4
			with- out	11642270				1	4



London - 013VK/350KL


duraplus®



HOPPE aluminium handle half set on backplate with turn for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: HOPPE solid spindle, turn with cross spindle
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F9714M				P.U.	O.C.	
				Art. no./€						
Handle half set on backplate with turn, cranked right		60	8	without without	11787284				50	50
Handle half set on backplate with turn, cranked left		60	8	without without	11787272				50	50



Window handles and lift/slide handle sets


London - 113/350KL

duraplus®



- HOPPE aluminum handle half set on backplate for French doors:
- Bearing: fixed/movable, maintenance-free slide bearing
 - Spindle: for HOPPE solid spindle with predetermined breaking point
 - Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F9714M Art. no./€			P.U.	O.C.
Handle half set on backplate	with-out	8	without without	11788276 10.35			50	50



Stockholm - 0140/US956

duraplus®




HOPPE aluminium turn/tilt window handle with **Secustik®** and **VarioFit®**:

- Tested to **DIN EN 13126-3: 23/180-0150/03/C1** and **RAL-GZ 607/9**
- Stop-in position: 90°
- Cover: full cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle, adjustable length of 10 mm, smooth adjustment thanks to the pressure spring integrated in the handle neck
- Fixing: concealed, M5 thread screws
- Special feature: built-in basic security



Description	Lugs Ø		Projecting Screws	F9714M Art. no./€			P.U.	O.C.
Window handle, piece	10	7	32-42 M5 x 45/50	11833051 16.25			10	40



Secustik®
VarioFit®

Tôkyô - 0710S/U26

duraplus®




HOPPE aluminium lockable turn/tilt window handle:

- Locking mechanism: push cylinder, reversible key
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, M5 thread screws



Description	Lugs Ø		Projecting Screws	F9714M Art. no./€			P.U.	O.C.
Window handle, lockable, piece	10	7	35 M5 x 45	10790528 20.98			10	40






Tōkyō - 0710/U26


duraplus®

HOPPE aluminium turn/tilt window handle:

- Tested to **DIN EN 13126-3: 23/180-0150/03/C1** and **RAL-GZ 607/9**
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, M5 thread screws



Description	Lugs Ø		Projecting Screws	F9714M Art. no./€				P.U.	O.C.
Window handle, piece	10	7	58 M5 x 70	11748285 6.71				100	100




Tōkyō - 0710EVKS/6


duraplus®

HOPPE cranked lockable aluminium Espagnolette handle:

- Locking mechanism: push button locking cylinder, reversible key
- Stop-in position: none
- Cover: partial cover cap
- Base: aluminium, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, for M5 thread screws
- Special feature: for side-hung and top-hung outward opening windows, no tilt position, handle rotation up to 90°, non-lockable version with nylon cylinder cover cap (order separately)



Description	Lugs Ø		Projecting Screws	F9714M Art. no./€				P.U.	O.C.
Espagnolette handle, cranked right, lockable, piece	10	7	58 without	11749428 12.61				50	50
Espagnolette handle, cranked left, lockable, piece	10	7	58 without	11749490 12.61				50	50






■ Tôkyô - 0710LVK/U71Z

duraplus®

HOPPE cranked aluminium window handle on narrow rosette:

- Stop-in position: none
- Cover: partial cover cap
- Base: zamak, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, for M5 thread screws
- Special feature: for outward-opening, pivoting windows, no tilt position, handle rotation angle up to 90°

Description	Lugs Ø	Keyhole/ Distance	Projecting Screws	F9714M Art. no./€				P.U.	O.C.
Window handle with narrow rosette, cranked right, piece	10	7	58 without	11753316 9.18				100	100
Window handle with narrow rosette, cranked left, piece	10	7	58 without	11753328 9.18				100	100



■ Tôkyô - 0710VK/93S


duraplus®

HOPPE cranked aluminium half handle set on security backplate for windows and French doors:

- Tested to **SS 3620:2010 - class B**
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking point
- Fixing: visible, security screws



Description	Keyhole/ Distance	Keyhole/ Distance	Projecting Screws	F9714M Art. no./€				P.U.	O.C.
Half handle set on security backplate, cranked left	67	7	43 4,5 x 40	11896486 41.52				16	16
Half handle set on security backplate, cranked right	67	7	43 4,5 x 40	11896498 41.52				16	16











Tôkyô - 0710VK/350KL

duraplus®

HOPPE cranked aluminium handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: HOPPE solid spindle
- Stop-in position: 90°
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F9714M Art. no./€				P.U.	O.C.
Handle half set on backplate, cranked right	with-out	8	53	11922874				50	50
	without	8	without	11913137				50	50
	 60	8	without	11799596				50	50
	 60	8	without	11871441				50	50
Handle half set on backplate, cranked left	with-out	8	53	11922886				50	50
	without	8	without	11913149				50	50
	 60	8	without	11799602				50	50
	 60	8	without	11871435				50	50









Tôkyô - 0710VK/350KL

duraplus®

HOPPE aluminium handle half set on backplate with turn for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: HOPPE solid spindle, turn with cross spindle
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F9714M Art. no./€				P.U.	O.C.
Handle half set on backplate with turn, cranked right	 60	8	without	11905955				50	50
	 60	8	without	11786218				50	50
Handle half set on backplate with turn, cranked left	 60	8	without	11799584				50	50
	 60	8	without	11905967				50	50






■ Tôkyô - 0710VK/U14K

duraplus®

HOPPE cranked aluminium turn/tilt window handle on narrow rosette:

- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, for M5 thread screws

Description	Keyhole/ Distance	Projecting Screws	F9714M Art. no./€	P.U.	O.C.
Window handle with narrow rosette, cranked right, piece	7	35 without	2023943 11.56	10	100
Window handle with narrow rosette, cranked left, piece	7	35 without	2023978 11.56	10	100



■ Tôkyô - 1710RH/93S


duraplus®

HOPPE aluminium half handle set on security backplate for windows and French doors:

- Tested to **SS 3620:2010 - Klasse B**
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking point
- Fixing: visible, security screws



Description	Keyhole/ Distance	Projecting Screws	F9714M Art. no./€	P.U.	O.C.
Half handle set on security backplate	67	35 4,5 x 40	11915815 41.52	16	16
	67	53 4,5 x 40	11896413 41.52	16	16




■ **Tôkyô - 1710RH/350KL**


duraplus®



HOPPE aluminum handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle with predetermined breaking point
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance	Projecting Screws	F9714M				P.U.	O.C.
			Art. no./€					
Handle half set on backplate	with-out	8	without	11799298			50	50
	 60	8	without	11815838			50	50
			without	11.62				
			without	11.62				





■ **Tôkyô - 1710RH/350KL**


duraplus®



HOPPE aluminium handle half set on backplate with turn for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: HOPPE solid spindle, turn with cross spindle
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance	Projecting Screws	F9714M				P.U.	O.C.
			Art. no./€					
Handle half set on backplate with turn	 60	8	without	11815905			50	50
	 60	8	without	11890046			50	50
			without	16.51				
			without	16.51				



Tôkyô - 1710RVH/350KL


duraplus®



HOPPE aluminum handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle with predetermined breaking point
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance	Projecting Screws	F9714M Art. no./€	P.U.	O.C.
Handle half set on backplate	60	without without	11870679 14.66	50	50



Tôkyô - HS-571/431N-AS


duraplus®



HOPPE aluminium lift/slide handle set for patio doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description	Keyhole/ Distance	F9714M Art. no./€	P.U.	O.C.
Lift/slide handle set (handle/handle)	75-80	11720761 84.37	1	4









Tōkyō - HS-571/431N-AS/420

duraplus®

HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:

- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F9714M				P.U.	O.C.
				Art. no./€					
Lift/slide handle set (recessed pull/handle)	75-80	10x73		69	11748291			1	4
			with- out		11748315			1	4



New



Toulon - 0737S/US947-1 100NM


duraplus®


HOPPE aluminium lockable turn/tilt window handle with **Secu100®** + **Secustik®** and **VarioFit®**:

- Tested to **DIN EN 13126-3: 23/180-0132/33/C1** and **RAL-GZ 607/9, RAL100**; meets the requirements of **DIN EN 1627-1630 RC1-6**
- Locking mechanism: push cylinder, reversible key
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, M5 thread screws
- Special feature: built-in basic security



Secu100®
Secustik®
VarioFit®

Description	Lugs Ø		Projecting Screws	F9714M				P.U.	O.C.
				Art. no./€					
Window handle, lockable, piece	10	7	32-42 M5 x 50/55	11506246				2	20





Secustik®
VarioFit®

Toulon - 0737/US947

duraplus®




HOPPE aluminium turn/tilt window handle with **Secustik®** and **VarioFit®**:

- Tested to **DIN EN 13126-3: 23/180-0150/03/C1** and **RAL-GZ 607/9**
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle, adjustable length of 10 mm, smooth adjustment thanks to the pressure spring integrated in the handle neck
- Fixing: concealed, M5 thread screws
- Special feature: built-in basic security



Description	Lugs Ø	7	Projecting	F9714M				P.U.	O.C.
			Screws	Art. no./€					
Window handle, piece	10	7	32-42 M5 x 45/50	10793251 9.66				10	60



Toulon - 0737/U34

duraplus®




HOPPE aluminium turn/tilt window handle:

- Tested to **DIN EN 13126-3: 23/180-0150/03/C1** and **RAL-GZ 607/9**
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, for M5 thread screws



Description	Lugs Ø	7	Projecting	F9714M				P.U.	O.C.
			Screws	Art. no./€					
Window handle, piece	10	7	58 without	11748266 8.10				50	50



Toulon - HS-0737/419N-AS


duraplus®



HOPPE aluminium lift/slide handle set for patio doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F9714M				P.U.	O.C.
				Art. no./€					
Lift/slide handle set (handle/handle)	75-80	10	69	11645295				1	4
Lift/slide handle half set (exterior side)		10	69	11668994				1	4
Lift/slide handle half set (interior side)		10	69	11668878				1	4
				with-out	11668745				1



Toulon - HS-0737/419N-AS/420


duraplus®



HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:

- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F9714M				P.U.	O.C.
				Art. no./€					
Lift/slide handle set (recessed pull/handle)	75-80	10x73	69	11645635				1	4
				with-out	11645325				1





■ 350KL

duraplus®

HOPPE aluminium backplate for French doors:

- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F9714M Art. no./€				P.U.	O.C.
Backplate without handle hole, piece	without		without	11922965 6.68				20	100






5004

duraplus®

HOPPE aluminium bar-shaped pull handle:

- Supports: cranked
- Fixing: concealed, pull handle fixing system no. 11

Description	Ø	Length	F9714M				P.U.	O.C.
		Distance	Art. no./€					
Bar-shaped pull handle, piece	25	330	11620778				1	5
		210	99.32					
		500	11690082				1	5
		210	105.33					




Amsterdam - 6400

duraplus®

HOPPE aluminium straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Description	Distance	F9714M				P.U.	O.C.
		Art. no./€					
Straight pull handle, piece	220	11722332				1	8
		50.88					



■ **6737**


duraplus®

HOPPE aluminium straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11









Description	Distance	F9714M	P.U.	O.C.
		Art. no./€		
Straight pull handle, piece	250	11722393 49.84	1	8







General information

Symbols

	OB (oval standard keyhole)
	PZ (profile cylinder)
	SK/OL (external: slotted head/internal: turn button)
	Door thickness (in mm)
	Spindle size (in mm)
	HOPPE divides its product range into three lines based on the customers' different requirements in price and perception of value – duravert®, duraplus® and duranorm®. The purpose behind this is to enable you, our partners, to get a better overview of our product range and to make it easier for you to find the right handle of excellence.

Assessments for HOPPE products

 Produkten finns med i SundaHus Miljödata	SundaHus Material Data supports making environmentally conscious material choices within the construction and property markets. HOPPE aluminium and stainless steel door handles and aluminium pull handles are listed at SundaHus.
	Byggvarubedömningen is a non-profitable organization and its assessments are based on criteria concerning chemical content and life cycle aspects. BVB aims to support wise choices of material for a good living environment.
	HOPPE aluminium door-, window handles and accessories have received the status "recommended" at Byggvarubedömning.
	BASTA is a self-declaration system for registering products that meet the BASTA or BETA criteria requirement concerning substances with hazardous properties. HOPPE products do not contain chemicals that are dangerous for health and environment.

Finish chart

 Aluminium



F9714M
black matt















 Brass



F9714M
black matt

Brand, special and product attributes of the “HOPPE – Handle of excellence.” brand, certification marks

Regarding the “HOPPE – Handle of excellence.” brand product, the following product features are distinguished:

Denomination	Description	Attribute
Brand attributes	<ul style="list-style-type: none"> distinguish all HOPPE products convey the brand promise 	 10-year guarantee on the mechanical operation  Made in Europe  DIN EN ISO 14001 Environmentally-considerate manufacturing
Special attributes	<ul style="list-style-type: none"> underline a unique selling proposition or an essential additional benefit of the HOPPE brand product 	 Secu100®  Secustik®  Secustik®  Quick-Fit®  VarioFit®
Product attributes	<ul style="list-style-type: none"> present important information on a product or a benefit of the product are identified with the pictograms designed by HOPPE 	 Category of use grade 2 (3, 4) to DIN EN 1906  Category of use grade 2 to DIN EN 13126-3  Keyed locking  Solid brass  Very high corrosion resistance EN 1670, grade 4  Extremely high corrosion resistance EN 1670, grade 5

HOPPE Nordic Countries Oy
Hyrylänkatu 8
FI-04300 Tuusula
Tel. +358 (0)9 25 84 34 24
info.nordic@hoppe.com
www.hoppe.com

HOPPE Nordic Countries i Sverige
Post Box 29
SE-566 21 Habo
info.nordic@hoppe.com
www.hoppe.com

HOPPE business partners Nordic Countries

Business partner Sweden:

BESLAGSKONSULT AB
Neogatan 11
SE-431 53 Mölndal
Tel. +46 (0)31 91 40 30
Fax +46 (0)31 91 40 31
info@beslagskonsult.se
www.beslagskonsult.se

Business partner Finland:

Scancerco Oy
Suvilahdenkatu 10B
FIN-00500 Helsinki
Tel. +358 (0)9 77 43 27 10
Fax +358 (0)9 77 43 27 20
myynti@scancerco.fi
www.scancerco.fi

Business partner Denmark:

KH TRADE
Theilgaards Allé 3A, "Den Hvide By"
DK-4600 Køge
Tel. +45 70 23 40 30
Fax +45 70 23 40 31
info@kh-trade.dk
www.kh-trade.dk

Business partner Norway:

BOYESEN & MUNTHE A/S
Haavard Martinsens Vei 19A
NO-0978 Oslo
Tel. +47 23 34 70 00
Fax +47 23 34 70 19
post@boyesen-munthe.no
www.boyesen-munthe.no